L Number	Hits	Search Text	DB	Time stamp
15	2	("5940821").PN.	USPAT;	2003/07/16 12:46
		•	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
	1.5.51	(707/100)	IBM_TDB	0000/07/16 15 05
16	1661	(707/100).ccls.	USPAT;	2003/07/16 15:25
			US-PGPUB;	
		·	EPO; JPO; DERWENT;	
			IBM TDB	
19	0	(707/103).ccls.	USPAT;	2003/07/16 15:27
17	1	(70771037.0013.	US-PGPUB;	2003,01,10 13.21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
20	4	"attribute type" and "type identifier" and	USPĀT;	2003/07/16 15:27
		(instance with type) and ((707/100).ccls.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	·
'			IBM_TDB	
23	790	(707/103r).ccls.	USPAT;	2003/07/16 15:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
24	,	Hattribute turnell and Uturne identifically and	IBM_TDB	2002/07/16 15:03
24	4	"attribute type" and "type identifier" and (instance with type) and ("attribute type"	USPAT; US-PGPUB;	2003/07/16 15:27
		and "type identifier" and (instance with	EPO; JPO;	
	l	type) and ((707/100).ccls.))	DERWENT;	
		cype) and ((/0//100):ccis:/)	IBM TDB	
-	10216	"data cell"	USPĀT;	2003/07/14 10:08
			US-PGPUB;	
İ			EPO; JPO;	
	·	·	DERWENT;	
			IBM_TDB	
-	4520	collection and "relational database"	USPAT;	2003/07/14 10:11
İ			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
	106	"data cell" and (collection and	IBM_TDB USPAT;	2003/07/14 10:11
-	100	"relational database")	US-PGPUB;	2003/07/14 10:11
		leidcional database /	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	("data cell" and (collection and	USPAT;	2003/07/14 10:16
		"relational database")) and "entity type"	US-PGPUB;	
		_ 	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	7	("data cell" and (collection and	USPAT;	2003/07/14 10:20
		"relational database")) and "employee	US-PGPUB;	
		table"	EPO; JPO;.	
		. ,	DERWENT;	
1_	5	("data cell" and (collection and	IBM_TDB USPAT;	2003/07/14 10:22
	٦	"relational database")) and employee and	US-PGPUB;	2003/07/14 10:22
		salary and identification	EPO; JPO;	
		dataly and lachellication	DERWENT;	
			IBM TDB	
-	148	(collection and "relational database") and	USPAT;	2003/07/14 10:22
		employee and salary and identification	US-PGPUB;	, , = = = = = = = = = = = = = = = = = =
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	60	((collection and "relational database")	USPĀT;	2003/07/14 10:23
		and employee and salary and	US-PGPUB;	
		identification) and "social security" and	EPO; JPO;	
		address	DERWENT;	
L			IBM_TDB	

-	18	(((collection and "relational database")	USPAT; US-PGPUB;	2003/07/14 11:34
		and employee and salary and identification) and "social security" and address) and "attribute value"	EPO; JPO; DERWENT;	
		4442556, 4114 45552555 18286	IBM TDB	
-	101	employee and project and (salary or	USPAT;	2003/07/14 11:36
		compensation) and name and "social security" and address	US-PGPUB; EPO; JPO;	
		security and address	DERWENT;	
	_		IBM_TDB	
-	1	<pre>(employee and project and (salary or compensation) and name and "social</pre>	USPAT; US-PGPUB;	2003/07/14 11:36
		security" and address) and table and "data	EPO; JPO;	
		cell"	DERWENT;	
_	29	(employee and project and (salary or	IBM_TDB USPAT;	2003/07/14 11:38
⁻ .	23	compensation) and name and "social	US-PGPUB;	2003/07/14 11:30
		security" and address) and table and cell	EPO; JPO;	
			DERWENT; IBM TDB	
_	86	(employee and project and (salary or	USPAT;	2003/07/14 12:30
		compensation) and name and "social	US-PGPUB;	
		security" and address) and table	EPO; JPO; DERWENT;	
			IBM TDB	
-	1	((employee and project and (salary or	USPĀT;	2003/07/14 11:39
		compensation) and name and "social security" and address) and table) and	US-PGPUB; EPO; JPO;	
		(707/100).ccls.	DERWENT;	
			IBM_TDB	0000/07/14 10 00
-	1248	table with employee	USPAT; US-PGPUB;	2003/07/14 12:30
			EPO; JPO;	
		,	DERWENT;	
_	320	table with salary	<pre>IBM_TDB USPAT;</pre>	2003/07/14 12:30
		,	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	3038	table with "security"	USPĀT;	2003/07/14 12:31
			US-PGPUB; EPO; JPO;	
		•	DERWENT;	
	63	(table with employed) and (table with	<pre>IBM_TDB USPAT;</pre>	2003/07/14 12:21
-	63	(table with employee) and (table with salary) and (table with "security")	US-PGPUB;	2003/07/14 12:31
		• · · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
		'	DERWENT; IBM TDB	
-	· 54	((table with employee) and (table with	USPAT;	2003/07/14 12:31
		salary) and (table with "security")) and	US-PGPUB;	
		relational	EPO; JPO; DERWENT;	
			IBM_TDB	
-	52	(((table with employee) and (table with salary) and (table with "security")) and	USPAT; US-PGPUB;	2003/07/14 12:31
		relational) and value	EPO; JPO;	
			DERWENT;	
_	40	(((table with employee) and (table with	IBM_TDB USPAT;	2003/07/14 13:14
	70	salary) and (table with "security")) and	US-PGPUB;	2000,0,711 10.14
		relational) and attribute	EPO; JPO;	
			DERWENT; IBM TDB	
-	110	table with "four cell"	USPĀT;	2003/07/14 13:14
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	 		IBM_TDB	

-	0	((table with employee) and (table with	USPAT;	2003/07/14 13:15
		salary) and (table with "security")) and	US-PGPUB;	
	}	(table with "four cell")	EPO; JPO;	
			DERWENT;	
	. 0	(table with salary) and (table with "four	IBM_TDB USPAT;	2003/07/14 13:15
-	. 0	cell")	US-PGPUB;	2003/07/14 13:13
		cell /	EPO; JPO;	·
			DERWENT;	
			IBM TDB	
_	1	(table with "security") and (table with	USPAT;	2003/07/14 13:15
		"four cell")	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	(table with employee) and (table with	USPAT;	2003/07/14 13:15
		"four cell")	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
I _	1041	evnance with coll	IBM_TDB USPAT;	2003/07/14 13:22
-	1041	synapse with cell	US-PGPUB;	2003/01/14 13:22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	98	synapse adj cell	USPĀT;	2003/07/14 13:22
		_	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 /07 /0 / 15 55
_	98	synapse adj cells	USPAT;	2003/07/14 13:22
	•		US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	(synapse adj cells) and (table with	USPAT;	2003/07/14 13:22
		employee)	US-PGPUB;	
	•	1 -1 -1 -1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(synapse adj cells) and (table with	USPAT;	2003/07/14 13:22
		salary)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	 (synapse adj cells) and (table with	USPAT;	2003/07/14 13:26
-	2	(synapse ad) certs) and (table with	US-PGPUB;	2003/07/14 13.20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6129	table with project	USPĀT;	2003/07/14 13:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1040		IBM_TDB	2002/07/14 12:26
1 -	1248	table with employee	USPAT; US-PGPUB;	2003/07/14 13:26
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	104	(table with project) and (table with	USPĀT;	2003/07/14 13:26
		employee)	US-PGPUB;	
1			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	2	((table with project) and (table with	USPAT;	2003/07/14 13:26
		employee)) and (synapse adj cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM TDB	

_	37	((table with project) and (table with	USPAT;	2003/07/14 13:27
		employee)) and salary	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
1,		,	IBM TDB	
	36	///table with amainst) and /table with	USPAT;	2003/07/14 13:35
-	36		1	2003/07/14 13:35
	•	employee)) and salary) and value	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
 	13841	attribute with type	USPAT;	2003/07/14 13:36
1			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	1606	attribute adj type	USPAT;	2003/07/14 13:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	Î i
			i .	
			IBM_TDB	0000 (07 (14 10 06
-	6302	attribute adj value	USPAT;	2003/07/14 13:36
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
į			IBM TDB	
i _	500	ontitu adi tuno		2003/07/14 13:36
-	528	entity adj type	USPAT;	2003/07/14 13:36
}			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	240	entity adj instance	USPAT;	2003/07/14 13:36
_	240	l entity adj instance		2003/07/14 13.30
			US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
			IBM TDB	
_	7	(attribute adj type) and (attribute adj	USPAT;	2003/07/14 13:36
	,	value and (entity adj type) and (entity	US-PGPUB;	2003,01,11 13.30
			1	
		adj instance)	EPO; JPO;	
			DERWENT;	[
			IBM TDB	
-	1	"5550971".PN.	USPAT	2003/07/14 15:05
_	1	"5548749".PN.	USPAT	2003/07/14 15:05
_	1	"5499371".PN.	USPAT	2003/07/14 15:05
_	I .		1	
-	1	"5495567".PN.	USPAT	2003/07/14 15:05
. -	1	"5307499".PN.	USPAT	2003/07/14 15:06
-	1	"5295256".PN.	USPAT	2003/07/14 15:06
-	1	"5295256".PN.	USPAT	2003/07/14 15:06
-	1	"5278946".PN.	USPAT	2003/07/14 15:06
_	1248	table with employee	USPAT;	2003/07/14 15:42
	1230		US-PGPUB;	
	i		l .	
	1		EPO; JPO;	į l
			DERWENT;].
			IBM_TDB	
-	6129	table with project	USPĀT;	2003/07/14 15:52
			US-PGPUB;	_
			EPO; JPO;	ļ
			DERWENT;	
			IBM_TDB	
- ·	104	(table with employee) and (table with	USPAT;	2003/07/14 15:43
-		project)	US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
]		!	
	_ :		IBM_TDB	0000 (07/11 15 15
-	98	1	USPAT;	2003/07/14 15:43
		project)) and value	US-PGPUB;	•
		· ·	EPO; JPO;	
			DERWENT;	
	1]
1	L		IBM_TDB	

-	63	(((table with employee) and (table with	USPAT;	2003/07/14 15:43
		project)) and value) and collection	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	580	"data cell" with table	USPAT;	2003/07/14 15:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12		USPAT;	2003/07/14 15:53
·	1	(specific with instance)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5826258").PN.	USPAT;	2003/07/15 13:34
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	, ;
İ		, '	IBM_TDB	
-	2	("6195651").PN.	USPAT;	2003/07/15 13:35
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	2	("6233573").PN.	USPAT;	2003/07/15 13:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.00		IBM_TDB	0000/07/15 10 06
-	1606	"attribute type"	USPĀT;	2003/07/15 13:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0430	Harman i danat i Silan II	IBM_TDB	2002/07/15 12-26
-	2438	"type identifier"	USPAT; US-PGPUB;	2003/07/15 13:36
			l .	
			EPO; JPO; DERWENT;	
			IBM TDB	
<u> </u>	60705	instance with type	USPAT;	2003/07/15 13:37
	00703	instance with type	US-PGPUB;	2003/07/13 13:37
			EPO; JPO;	
			DERWENT; .	
			IBM TDB	
_	25	"attribute type" and "type identifier" and	USPAT;	2003/07/16 15:26
	1	(instance with type)	US-PGPUB;	,, 13,20
			EPO; JPO;	
		·	DERWENT;	
		• •	IBM TDB	
-	7	leenstra and amsbury	USPAT;	2003/07/15 13:42
		_	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	2	("5303367").PN.	USPĀT;	2003/07/15 13:42
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	98	"synapse cell"	USPAT;	2003/07/15 16:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/07/15 15 55
-	17	transmutation with cell	USPAT;	2003/07/15 16:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	L		IBM_TDB	

-	2	"synapse cell" and (transmutation with cell)	USPAT; US-PGPUB;	2003/07/15 16:38
			EPO; JPO;	
			DERWENT;	
•			IBM_TDB	
-	150	transmutation and cell	USPAT;	2003/07/15 16:38
		·	US-PGPUB;	
		'	EPO; JPO; DERWENT;	
			IBM TDB	
_	2	"synapse cell" and (transmutation and	USPAT;	2003/07/15 16:38
	_	cell)	US-PGPUB;	2003,07,13 10.30
1		55==,	EPO; JPO;	
			DERWENT;	
	,		IBM_TDB	
_	2	"synapse cell" and transmutation	USPAT;	2003/07/15 16:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	98	"synapse cell" and cell	USPAT;	2003/07/15 16:39
		Synapse cerr una cerr	US-PGPUB;	2003/07/13 10.33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	37	("synapse cell" and cell) and relation\$	USPAT;	2003/07/15 16:40
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT; IBM TDB	
_	7829	linking with cells	USPAT;	2003/07/15 16:46
		Timing with colls	US-PGPUB;	2003,01,13 10.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22	(linking with cells) and transmutation	USPAT;	2003/07/15 16:47
			US-PGPUB;	·
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(linking with cells) and "intance	USPAT;	2003/07/15 16:47
		identify"	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
i _	_	/linking+h gcll-\ 2 issters	IBM_TDB	2002/07/15 16 15
-	3	(linking with cells) and instance and "entity type"	USPAT; US-PGPUB;	2003/07/15 16:49
		enercy cype	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	667	(linking with cells) and instance and	USPAT;	2003/07/15 16:49
ļ		entity	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	10	((linking with cells) and instance and	IBM_TDB	2003/07/15 16:49
-	13	entity) and "four cell"	USPAT; US-PGPUB;	2003/07/15 16:49
		onereg / and rour cerr	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	13		USPĀT;	2003/07/15 16:55
		entity) and "four cells"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	6131	table with project	IBM_TDB USPAT;	2003/07/15 16:55
	0131	casto aten project	US-PGPUB;	2003/01/13 10.33
			EPO; JPO;	
	· .		DERWENT;	
			IBM_TDB	
			·	

_	1250	table with employee	USPAT;	2003/07/15 16:55
		• •	US-PGPUB;	1
		•	EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	32	table with "objectID"	USPAT;	2003/07/15 16:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(table with project) and (table with	USPAT;	2003/07/15 16:56
		employee) and (table with "objectID")	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19390	table with ID	USPAT;	2003/07/15 16:56
			US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
_	29	(table with project) and (table with	USPAT;	2003/07/15 16:56
		employee) and (table with ID)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
_	27	((com=c = f=c)cc)	USPAT;	2003/07/15 16:56
		employee) and (table with ID)) and (table	US-PGPUB;	
		with value)	EPO; JPO;	
			DERWENT;	
			IBM TDB	



> home | > about | > feedback | > login

US Patent & Trademark Office



Try the *new* Portal design Give us your opinion after using it.

Search Results

Search Results for:	[value <and>((data cell<and>((entity type and attribute type))))]</and></and>
Found 1 of 114,101	searched.

Search within Results

> Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 1 of 1 short listing

1 Geographic Data Processing

80%

George Nagy, Sharad Wagle

ACM Computing Surveys (CSUR) June 1979

Volume 11 Issue 2

Results 1 - 1 of 1 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.



IEEE HOME ! SEARCH IEEE ! SHOP ! WEB ACCOUNT ! CONTACT IEEE



Membership Public	cations/Services Standards Conferences Careers/Jobs
IEEE,	Welcome United States Patent and Trademark Office
Peer Review	S IEEE Quick Links ▼ Search Results
Welcome to IEEE Xplore	Your search matched [0] of [950522] documents.
O- Home O- What Can I Access?	You may refine your search by editing the current search expression or entering
O- Log-out	a new one the text box. Then click search Again.
Tables of Contents	value and data cell and entity type and attribute type
O- Journals & Magazines	Search Again
O- Conference Proceedings	OR
O- Standards	Use your browser's back button to return to your original search page.
Search	·
O- By Author O- Basic	Results:
O- Advanced	No documents matched your query.
Member Services	
O- Join IEEE O- Establish IEEE Web Account	
O- Access the IEEE Member Digital Library	
Print Format	

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE --- All rights reserved

IEEE HOME ! SEARCH IEEE ! SHOP ! WEB ACCOUNT ! CONTACT IEEE



Membership Public	ations/Services Standards Conferences Careers/Jobs
IEEE,	Welcome United States Patent and Trademark Office
Help FAQ Term Peer Review	S IEEE Quick Links
Welcome to IEEE Xplore	Your search matched [0] of [950522] documents.
O- Home O- What Can I Access? O- Log-out	You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.
Tables of Contents	value and cell and (entity <near 4=""> type) and (attribute <near 4=""> type)</near></near>
O- Journals & Magazines O- Conference Proceedings O- Standards	Search Again OR Use your browser's back button to return to your original search page.
Search	Ose your browser's back bactor to recarn to your original search page.
O- By Author O- Basic O- Advanced	Results: No documents matched your query.
Member Services	
O- Join IEEE O- Establish IEEE Web Account	
O- Access the IEEE Member Digital Library	
Print Format	

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved